



UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vignia 22313-1450 www.uspto.gov

APPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/683,720	0	2/06/2002	John R. Miller	WHB-31571	8647
22202	7590	08/05/2003			
		DECK DUDEK S	EXAMINER		
111 EAST WISCONSIN AVENUE SUITE 2100				FEGGINS, KRISTAL J	
MILWAUKEE, WI 53202				ART UNIT	PAPER NUMBER
	,			2861	
				DATE MAILED: 08/05/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	Application No.					
Office Action Summany	09/683,720	MILLER, JOHN R.				
Office Action Summary	Examiner	Art Unit				
The SEATING DATE of this account of the	K. Feggins	2861				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	36(a). In no event, however, may a reply be time y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on						
	— · nis action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-29</u> is/are pending in the application	1.					
4a) Of the above claim(s) is/are withdra	wn from consideration.					
5)⊠ Claim(s) <u>13-29</u> is/are allowed.						
6)⊠ Claim(s) <u>1-12</u> is/are rejected.	⊠ Claim(s) <u>1-12</u> is/are rejected.					
7) Claim(s) <u>2-12,14-22 and 24-29</u> is/are objected	to.					
8) Claim(s) are subject to restriction and/oApplication Papers	r election requirement.					
9)☐ The specification is objected to by the Examine	er.					
10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11)☐ The proposed drawing correction filed on	_ is: a) ☐ approved b) ☐ disappro	oved by the Examiner.				
If approved, corrected drawings are required in reply to this Office action.						
12) ☐ The oath or declaration is objected to by the Ex	kaminer.					
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign	n priority under 35 U.S.C. § 119(a	a)-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority document	s have been received.					
2. Certified copies of the priority document	s have been received in Applicati	on No				
 3. Copies of the certified copies of the prio application from the International Bu * See the attached detailed Office action for a list 	reau (PCT Rule 17.2(a)).					
14) Acknowledgment is made of a claim for domest	ic priority under 35 U.S.C. § 119(e) (to a provisional application).				
 a) The translation of the foreign language pro 15) Acknowledgment is made of a claim for domest 	* *					
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152)				

Art Unit: 2861

DETAILED ACTION

Claim Objections

1. Claim 2-12, 14-22 & 24-29 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form.

Claims 2-12, 14-22 & 24-29 are objected to because they recite structure limitations that do not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1. Appropriate correction is required.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- 3. Claims 1-12 are rejected under 35 U.S.C. 102(b) as being anticipated by Wiklof et al. (US 5,625,399).

Wiklof et al disclose the following claimed limitations:

- * regarding claim 1, a method of processing a thermal element group to create a printed image (Abstract);
 - * providing printing parameters for a supply (col 10, lines 11-20);
- * determining a dot history patternand a number of thermal elements for the thermal element group/history RAM/ (col 10, line 33-col 11, line 42, figs 6, 10, 11);

Art Unit: 2861

*assigning thermal elements to the thermal element group based on the number of thermal elements determined for the thermal element group (col 6, lines 27-44, col 10, line 33-col 11, line 42, figs 6, 10, 11);

* generating a packed table, the packed table comprising values based on the printing parameters, the dot history pattern, the number of thermal elements for the thermal element group, and the thermal elements assigned to the thermal element group (col 6, lines 27-44, col 8, line 22-col 9, line 10, col 10, line 33-col 11, line 42, figs 6, 10, 11);

* wherein the printed image is created using a bit map pattern, a packed dot history pattern, the packed table, and the printing parameters, each of which has been stored in printer memory (col 6, lines 27-44, col 8, line 22-col 9, line 10, col 10, line 33-col 11, line 42, figs 6, 10, 11).

* regarding claim 2, wherein the printing parameters comprise a microstrobe number and microstrobe energy values (the recited structure limitations does not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1).

* regarding claim 3, wherein a memory cell associated with the supply provides the printing parameters (the recited structure limitations does not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1).

Art Unit: 2861

* regarding claim 4, wherein the packed dot history pattern comprises at least one site associated with a thermal element adjacent to a selected thermal element (the recited structure limitations does not manipulate the method steps recited in claim 1.

Therefore they do not further define the method of claim 1).

* regarding claim 5, wherein the packed dot history pattern comprises at least one site based on a prior generation of a selected thermal element (the recited structure limitations does not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1).

* regarding claim 6, wherein the packed dot history pattern comprises at least one site based on a prior generation of a thermal element adjacent to a selected thermal element (the recited structure limitations does not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1).

* regarding claim 7, wherein the bit map pattern comprises values of bit.

map pattern data, the bit map pattern data comprising a plurality of ones and zeros (the recited structure limitations does not manipulate the method steps recited in claim 1.

Therefore they do not further define the method of claim 1).

* regarding claim 8, wherein the ones and zeros represent an instruction

Page 4

Art Unit: 2861

Page 5

to generate a dot or not generate a dot (the recited structure limitations does not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1).

* regarding claim 9, wherein the packed table comprises a packed index, a packed index length, packed index values, divided microstrobes, packed binary pulse numbers, and packed strobe numbers (the recited structure limitations does not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1).

* regarding claim 10, wherein the packed table is based on a number of possible energy value combinations and a packed thermal element number (the recited structure limitations does not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1).

* regarding claim 11, wherein generation of the packed table comprises inserting the selected number of thermal elements into the selected dot history pattern (the recited structure limitations does not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1).

* regarding claim 12, wherein the thermal element group comprises at least one of consecutive thermal elements, sequential thermal elements, and

Art Unit: 2861

adjacent thermal elements (the recited structure limitations does not manipulate the method steps recited in claim 1. Therefore they do not further define the method of claim 1).

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: The primary 4. reason for allowance of claims 13-22 is the inclusion of the method step of processing a thermal element group to create a printed image that includes creating a packed index having a packed index length, the packed index length based on the packed thermal element number, and determining packed index values to occupy the packed index length, the packed index values based on the packed dot history pattern; dividing microstrobes, the microstrobes based on the microstrobe number stored in the printer memory, such that divided microstrobes are produced; assigning packed binary pulse numbers to the divided microstrobes based on a strobe pattern, the packed binary pulse numbers corresponding to each of the packed index values occupying the packed index length; and determining packed strobe numbers based on the packed binary pulse numbers, the packed strobe numbers corresponding to each of the packed index values occupying the packed index length, wherein the printed image is created by using a bit map pattern, the packed dot history pattern, the packed index values, the packed strobe numbers, and the microstrobe energy values. It is these steps found in each of eh claims, as they are claimed in the combination of, which has not been found, taught or suggested by the prior art of record that makes these claims allowable.

Art Unit: 2861

The primary reason for allowance of claims 23-29 is the inclusion of the method step of processing a thermal element group to create a printed image that includes creating a packed index having a packed index length, the packed index length based on the packed thermal element number, and determining packed index values to occupy the packed index length, the packed index values based on the packed dot history pattern; dividing microstrobes, the microstrobes based on the microstrobe number stored in the printer memory, such that divided microstrobes are produced; assigning packed binary pulse numbers to the divided microstrobes based on a strobe pattern, the packed binary pulse numbers corresponding to each of the packed index values occupying the packed index length; determining packed strobe numbers based on the packed binary pulse numbers, the packed strobe numbers corresponding to each of the packed index values occupying the packed index length, until an entire raster line of packed strobe numbers is ascertained, wherein the printed image is created by using a bit map pattern, the packed dot history pattern, the packed index values, the entire raster lines of the packed strobe numbers, and the microstrobe energy values. It is these steps found in each of eh claims, as they are claimed in the combination of, which has not been found, taught or suggested by the prior art of record that makes these claims allowable.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Spano (US 6404452 B1) disclose an auxiliary control device for managing printing in a thermal printer. Yamamoto et al. (US 5038154) disclose drivingan apparatus in accordance with the heating element energization patterns.

Art Unit: 2861

Page 8

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Communication With The USPTO

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to K. Feggins whose telephone number is 703-306-4548. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, B. Fuller can be reached on 703-308-0079. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7722 for regular communications and 703-872-9318 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.